

"blister" 11.3 mm in greatest diameter, occupies much of the upper half of the interior of the valve between the adductor scars. The thickest development of the "blister" is toward the posterior part of the structure, and coincides with a boring on the exterior of the valve, indicating that the initial irritant was probably an organism. However, a cut made in the "blister" revealed that it was hollow and contained a considerable amount of sand and mud, suggesting that the enlargement of the "blister" had been caused by this secondary irritant. Neither *Glycymeris* nor *Mulinia* has a nacreous shell, hence neither of these "pearls" like those of *Panope*, are true pearls in the commonly accepted sense of the term, although both types have a similar mode of origin.

To date the following "pearls" have been reported from the Atlantic coastal Cenozoic deposits:

"BLISTER PEARLS":

*Panope americana* Conrad, two specimens from the Choptank formation, Miocene, at Jones Wharf, Md. (Berry, 1936, p. 464; Brown, 1940, p. 367).

*Glycymeris subovata* (Say), one specimen from the Duplin marl, Miocene, at Natural Well, N. C.

*Mulinia lateralis* (Say), one specimen from the Duplin marl, Miocene, at Natural Well, N. C.

"TRUE OR SPHERICAL PEARLS:

*Isognomon maxillata* (Deshayes), one specimen from the Choptank formation, Miocene, at Governor's Run, Md.

*Panope americana* Conrad, one specimen from the Choptank formation, Miocene, at Governor's Run, Md.

*Panope floridana* Heilprin, one pair of valves with numerous pearls, Caloosahatchie formation, Pliocene, Fla.

*Anadara transversa* (Say), one specimen from the Pleistocene at Wailes Bluff, Md. (Brown, 1946, p. 75).

REFERENCES

- BERRY, CHARLES T. *A Miocene pearl*, Amer. Midl Nat. **17**(2): 464-470, 3 figs. 1936.
- BROWN, ROLAND W. *Fossil pearls from the Colorado group of western Kansas*. Journ. Washington Acad. Sci. **30**(9): 365-374, 20 figs. 1940.
- . *A Pleistocene pearl from southern Maryland*. Journ. Washington Acad. Sci. **36**(3): 75-76, 2 figs. 1946.
- KUNZ, GEORGE F., and STEVENSON, CHARLES H. *The book of the pearl*: 548 pp. New York, 1908.
- NEWELL, NORMAN D. *Late Paleozoic Pelecypoda: Mytilacea*. Univ. Kansas, State Geol. Surv. Kansas, Publ. **10**(pt. 2): 1-115, 15 pls., 22 figs. 1942.

ENTOMOLOGY.—*New names in the Homoptera*.<sup>1</sup> Z. P. METCALF, North Carolina State College. (Communicated by H. Friedmann.)

(Received May 27, 1955)

The new names proposed herewith seem to me to be necessary for the reasons stated. The names are listed under the appropriate family, subfamily, and tribe, according to the classification which I now use in the card catalogue of the Homoptera of the World. This should enable any student to locate the forms concerned.

Primary homonyms have been replaced even where the species are no longer included in the same genera. All references have been checked against the originals.

<sup>1</sup>Contribution from the Entomology Department, North Carolina Agricultural Experiment Station, Raleigh, North Carolina. Published with the approval of the Director of Research as Paper No. 642 of the Journal Series.

Family CIXIIDAE

Subfamily CIXIINAE

Tribe CIXIINI

*Oliarus ovatus*, n. n.

pro *Oliarus lacteipennis* Kusnezov, Ent. Nachr. **10**: 161. 1937.

nec *Oliarus lacteipennis* Fowler, Biologia Centrali-Americana **1**: 93. 1904.

Family ARAEOPIDAE (DELPHACIDAE)

Subfamily DELPHACINAE

Tribe DELPHACINI

*Nilaparvata caldwelli*, n. n.

pro *Nilaparvata muiri* Caldwell and Martorell, Journ. Agr. Univ. Puerto Rico **34**: 193. 1951.

nec *Nilaparvata muiri* China, Ann. Mag. Nat. Hist. (9) **16**: 480. 1925.

## Family DICTYOPHARIDAE

## Subfamily DICTYOPHARINAE

## Tribe DICTYOPHARINI

*Dictyophara lindbergi*, n. n.

pro *Fulgora acuminata* Lindberg, Comm. Biol. **10** (7): 106. 1948.

nec *Fulgora acuminata* Olivier, Encyclopédie méthodique . . . **6**: 571. 1791.

## Family FULGORIDAE

## Subfamily PHENACINAE

*Levia*, n. n.

pro *Helvia* Melichar, Wissenschaftliche Ergebnisse der Zweiten Deutschen Zentral-Afrika-Expedition 1910-1911 **1**: 123. 1912.

nec *Helvia* Stål, Bih. Svenska Vet.-Akad. Handl. **4**: 80. 1877.

Orthotype: *Helvia schubotzi* Melichar.

## Family FLATIDAE

## Subfamily FLATINAE

## Tribe POEKILLOPTERINI

*Poekilloptera walkeri*, n. n.

pro *Poecilloptera producta* Walker, List of homopterous insects in the British Museum **2**: 452. 1851.

nec *Poecilloptera producta* Spinola, Ann. Soc. Ent. France **8**: 432. 1839.

## Tribe NEPHESINI

Name to be restored: *Dalapax* Amyot and Serville.

nec *Pseudoflata* Guérin-Méneville.

Haplotype: *Flata postica* Spinola.

*Dalapax* was established by Amyot and Serville, Histoire naturelle des insectes. Hémiptères: 521. 1843, for the species *Flata postica* Spinola, Ann. Soc. Ent. France **8**: 420. 1839.

*Pseudoflata* was established by Guérin-Méneville, Iconographie du règne animal 1844: 360, as a subgenus of *Ricania* for *Pseudoflata nigricornis*, n. sp.

*Nigricornis* Guérin-Méneville is a synonym of *postica* Spinola.

Melichar, Ann. Nat. Hofmus. Wien **16**: 251. 1901, accepts the year 1838 as the date of the publication of Guérin-Méneville and therefore gives precedence to *Pseudoflata* over *Dalapax*. According to Hagen, Bibliotheca entomologica **1**: 309. 1862 and Horn and Schenking, Index litteraturae entomologicae (1) **2**: 470. 1928, the entomological part of Guérin-Méneville's paper was not published until 1844. This date has also been accepted by Sherborn, Index animalium

**21**: 5195. 1929; Neave, Nomenclator zoologicus **3**: 982. 1940; and Schulze, Kükenthal, and Heider, Nomenclator animalium **4** (21): 2907. 1935. Previously Marschall, Nomenclator zoologicus: 378. 1873, gave the date as 1846. Scudder, U. S. Nat. Mus. Bull. **19**: 266. 1882, also gave the date as 1846.

*Panormenis melichari*, n. n.

pro *Ormenis suturalis* Melichar, Wien. Ent. Zeit. **24**: 289. 1905.

nec *Ormenis striolata* var. *suturalis* Melichar, Ann. Nat. Hofmus. Wien **17**: 95. 1902.

## Family ISSIDAE

## Subfamily HEMISPHAERIINAE

*Gergithus formosanus*, n. n.

pro *Gergithus reticulatus* Matsumura, Trans. Sapporo Nat. Hist. Soc. **6**: 101. 1916.

nec *Hemisphaerius reticulatus* Distant, The fauna of British India **3**: 361. 1906.

nunc *Gergithus reticulatus* Distant.

## Family CERCOPIIDAE

## Subfamily CERCOPIINAE

## Tribe CERCOPIINI

*Triecphorella kirschbaumi*, n. n.

pro *Cercopis fasciata* Kirschbaum, Jahrb. Ver. Nat. Nassau **21-22**: 63. 1868.

nec *Cercopis fasciata* Fabricius, Mantissa insectorum **2**: 275. 1787.

## Tribe EOSCARTINI

*Eoscarta (Eoscarta) lombokensis*, n. n.

pro *Eoscarta tristis* Jacobi, Zool. Jahrb. (Syst. Ökol.) **74**: 282. 1941.

nec *Eoscarta borealis* var. *tristis* Lallemand, Trans. Ent. Soc. London 1927: 112.

*Keducarta walkeri*, n. n.

pro *Triecphora antica* Walker, Journ. Linn. Soc. Zool. **10**: 289. 1870.

nec *Triecphora antica* Walker, List of homopterous insects in the British Museum **3**: 674. 1851.

## Tribe COSMOSCARTINI

*Cosmoscarta sundana*, n. n.

pro *Cercopis liturata* Walker, Journ. Linn. Soc. Zool. **10**: 287. 1870.

nec *Cercopis liturata* Le Peletier and Serville, Olivier's Encyclopédie méthodique. . . **10**: 606. 1825.

*Opistarsostethus walkeri*, n. n.

pro *Cercopis dorsalis* Walker, Journ. Linn. Soc. Zool. **10**: 283. 1870.

nec *Cercopis dorsalis* Walker, List of homopterous insects in the British Museum **3**: 658. 1851.

## Family APHROPHORIDAE

## Subfamily APHROPHORINAE

## Tribe PHILAENINI

**Neophilaenus exclamationis** var. **lindbergi**, n. n.

pro *Philaenus exclamationis* var. *nigerrimus* Lindberg, Not. Ent. **3**: 40. 1923.

nec *Philaenus exclamationis* var. *nigerrimus* Strobl, Mitt. Naturw. Ver. Steiermark **36**: 208. 1900.

**Philaenus leucophthalmus** var. **zetterstedti**, n. n.

pro *Cercopis spumaria* var. *obscura* Zetterstedt, Fauna insectorum Lapponica **1**: 515. 1828.

nec *Cercopis obscura* Fabricius, Entomologia systematica **4**: 49. 1794.

## Tribe APHROPHORINI

**Jophora compactilis**, n. n.

pro *Aphrophora compacta* Matsumura, Annot. Zool. Japonenses **5**: 35. 1904.

nec *Aphrophora compacta* Walker, List of homopterous insects in the British Museum **3**: 701. 1851.

## Family TETTIGELLIDAE

## Subfamily TETTIGELLINAE

## Tribe TETTIGELINI

**Amblyscarta crocea**, n. n.

pro *Tettigonia aestuans* Walker, List of homopterous insects in the British Museum **3**: 750. 1851.

nec *Tettigonia aestuans* Fabricius, Entomologia systematica **4**: 20. 1794.

**Amblyscarta frontaliana**, n. n.

pro *Tettigonia frontalis* Germar, Mag. Ent. **4**: 64. 1821.

nec *Tettigonia frontalis* Donovan, Natural history of insects of China: [2]. 1798.

**Amblyscarta nigrifascia** var. **albidissima**, n. n.

pro *Tettigonia albida* Walker, List of homopterous insects in the British Museum **3**: 777. 1851.

nec *Tettigonia albida* Walker, List of homopterous insects in the British Museum **3**: 767. 1851.

**Amblyscarta transversalis**, n. n.

pro *Tettigonia transversa* Signoret, Ann. Soc. Ent. France (3) **1**: 342. 1853.

nec *Tettigonia transversa* Costa, Cenni Zoologici 1834: 89.

**Dasmeusa flavescens**, n. n.

pro *Tettigonia lurida* Signoret, Ann. Soc. Ent. France (3) **1**: 662. 1853.

nec *Tettigonia lurida* Germar, Mag. Ent. **4**: 70. 1821.

**Poecilocarda nigripennis**, n. n.

pro *Tettigonia scutellata* Signoret, Ann. Soc. Ent. France (3) **8**: 203. 1860.

nec *Tettigonia scutellata* Fabricius, Systema rhyngotorum **1803**: 44. 1803.

**Tettigella alba**, n. n.

pro *Tettigonia concinna* Walker, List of homopterous insects in the British Museum **3**: 755. 1851.

nec *Tettigonia concinna* Perty, Delectus animalium articulorum **3**: 180. 1833.

**Tettigella borneonensis**, n. n.

pro *Tettigonia elongata* Walker, Journ. Proc. Linn. Soc. **1**: 167. 1857.

nec *Tettigonia elongata* Signoret, Ann. Soc. Ent. France (3) **2**: 495. 1854.

**Tettigella chinensis** n. n.

pro *Tettigonia trilineata* Melichar, Ann. Mus. Zool. St. Petersburg **7**: 132 (57). 1902.

nec *Tettigonia ruficeps* var. *trilineata* Fowler, Biologia Centrali-Americana **2**: 236. 1899.

**Tettigella distanti**, n. n.

pro *Tettigoniella cornelia* Distant, Ann. Mag. Nat. Hist. (8) **1**: 521. 1908.

nec *Tettigoniella cornelia* Distant, The fauna of British India **4**: 209. 1908.

**Tettigella druryi**, n. n.

pro *Tettigonia sanguinea* Westwood, Illustrations of exotic entomology **2**: 81. 1837.

nec *Tettigonia sanguinea* Fabricius, Systema rhyngotorum emendanda: 39. 1803.

**Tettigella gabonensis**, n. n.

pro *Tettigonia nigrolineata* Taschenberg, Zeitschr. Naturw. **57**: 446. 1884.

nec *Tettigonia nigrolineata* Herrich-Schäffer Deutschlands Insecten **164**: 17. 1838.

**Tettigella montrouzieri**, n. n.

pro *Tettigonia flavescens* Montrouzier, Ann. Soc. Agr. Lyon (2) **7**: 113. 1855.

nec *Tettigonia flavescens* Fabricius, Entomologia systematica **4**: 24. 1794.

**Tettigella pallidicornis**, n. n.

pro *Tettigonia festiva* Melichar, Homopteren-Fauna von Ceylon: 159. 1903.

nec *Tettigonia festiva* Fabricius, Systema rhyngotorum: 41. 1803.

## Tribe GRAPHOCEPHALINI

**Amahuaka angustula** var. **fowleri**, n. n.

pro *Tettigonia angustula* var. *immaculata* Fowler, Biologia Centrali-Americana **2**: 292. 1900.

nec *Tettigonia immaculata* Walker, List of homopterous insects in the British Museum **3**: 740. 1851.

**Astenogonia fabricii**, n. n.

pro *Cicada bicolor* Fabricius, Systema rhyngotorum: 65. 1803.

nec *Cicada bicolor* Olivier, Encyclopédie méthodique . . . **5**: 748. 1790.

**Conogonia ceramensis**, n. n.

pro *Tettigonia tripunctata* Walker, Journ. Linn. Soc. Zool. **10**: 303. 1870.

nec *Tettigonia tripunctata* Fitch, Ann. Rep. State Cab. Nat. Hist. **4**: 55. 1851.

**Epiacanthus guttiger** var. **aurantius**, n. n.

pro *Tettigonia guttigera* var. *dispar* Horváth Term. Fuzétek **22**: 371. 1899.

nec *Tettigonia dispar* Germar, Mag. Ent. **4**: 71. 1821.

**Graphocephala flavovittata**, n. n.

pro *Tettigonia multicolor* Signoret, Ann. Soc. Ent. France (3) **1**: 363. 1853.

nec *Tettigonia multicolor* Walker, List of homopterous insects in the British Museum **3**: 760. 1851.

Family LEDRIDAE

Subfamily KOEBELINAE

Tribe THYMBRINI

**Rhotidus kirkaldyi**, n. n.

pro *Ledropsis stáli* Kirkaldy, Bull. Hawaiian Sugar Planters Assoc. Div. Ent. **3**: 26. 1907.

nec *Ledropsis stáli* Melichar, Homopteren-Fauna von Ceylon: 143. 1903.

Family EUSCELIDAE

Subfamily EUSCELINAE

Tribe EUSCELINI

**Anoplotettix fuscovenosus** var. **horváthi**, n. n.

pro *Thamnotettix fuscovenosus* var. *inornatus* Horváth, Rev. Ent. **14**: 165. 1895.

nec *Thamnotettix inornatus* Van Duzee, Trans. Amer. Ent. Soc. **19**: 303. 1892.

**Hesium falleni**, n. n.

pro *Cicada biguttata* Fallen, Nya Handl. Svenska Vet.- Akad. **27**: 27. 1806.

nec *Cicada biguttata* Fabricius, Species insectorum **2**: 325. 1781.

Tribe ATHYSANINI

**Athysanus argentarius**, n. n.

pro *Cicada argentata* Fabricius, Entomologia systematica **4**: 38. 1794.

nec *Cicada argentata* Olivier, Encyclopédie méthodique . . . **5**: 759. 1790.

**Athysanus fabricii**, n. n.

pro *Cicada reticulata* Fabricius, Entomologia systematica **4**: 44. 1794.

nec *Cicada reticulata* Linnaeus, Systema naturae **1**: 436, 1758.

**Nephotettix apicalis** de Motschulsky

In Metcalf, Bull. Bernice P. Bishop Museum **189**: 126. 1946, I reported that I could not distinguish between *Nephotettix bipunctata* and the commonly accepted varieties *apicalis* de Motschulsky and *cincticeps* Uhler. Unfortunately, I did not discover that Fabricius (1803) described his species as *Cicada bipunctata*, Systema rhyngotorum: 78, which was preoccupied three times:

*Cicada bipunctata* Scopoli, Entomologie Carniolica: 115. 1763.

*Cicada bipunctata* Linnaeus, Systema naturae (ed. 12) **1** (2): 710. 1767.

*Cicada bipunctata* Gmelin, Caroli a Linné Systema naturae **1** (4): 2111. 1789.

The next available name for Fabricius's species is *Pediopsis apicalis* de Motschulsky, Étud. Ent. **8**: 110. 1859. The *bipunctata* of Fabricius and the *cincticeps* of Uhler, either as species or varieties, will become synonyms of *apicalis*.

**Phlepsius bergi**, n. n.

pro *Deltocephalus variegatus* Berg, An. Soc. Cient. Argentina **8**: 264. 1879.

nec *Deltocephalus variegatus* de Motschulsky, Étud. Ent. **8**: 112. 1859.

**Remadosus osborni**, n. n.

pro *Euscelis* (*Athysanus*) *magnus* var. *piceus* Osborn, Florida Ent. **6**: 20. 1922.

nec *Athysanus piceus* Scott, Ent. Monthly Mag. **12**: 97. 1875.

Tribe THAMNOTETTIXINI

**Thamnotettix matsumuri**, n. n.

pro *Thamnotettix acuminatus* Matsumura, Journ. Coll. Sci. Tokyo **23** (6): 27. 1908.

nec *Deltocephalus acuminatus* Uhler, Proc. Zool. Soc. London 1895: 80.

nunc *Thamnotettix acuminatus* Uhler.

**Neobala boliviensis**, n. n.

pro *Thamnotettix pallidus* Osborn, Ann. Carnegie Mus. **15**: 67. 1923.

nec *Thamnotettix karrooensis* var. *pallidus* Cogan, Ohio Journ. Sci. **16**: 192. 1916.

## Family DELTOCEPHALIDAE

## Subfamily DELTOCEPHALINAE

## Tribe DELTOCEPHALINI

***Deltocephalus amuriensis*, n. n.**

pro *Deltocephalus bilineatus* Lindberg, Comm. Biol. **3** (6): 7. 1929.

nec *Deltocephalus bilineatus* Gillette and Baker, Bull. Colorado Agr. Exp. Stat. **31**: 85. 1895.

***Deltocephalus marginellanus*, n. n.**

pro *Deltocephalus marginellus* Osborn, Ann. Ent. Soc. Amer. **19**: 346. 1926.

nec *Deltocephalus marginellus* Osborn, Ann. Carnegie Mus. **15**: 41. 1923.

***Deltocephalus obtusus*, n. n.**

pro *Deltocephalus simplex* Haupt, Bull. Palestine Agr. Exp. Stat. **8**: 29. 1927.

nec *Deltocephalus simplex* Van Duzee, Trans. Amer. Ent. Soc. **19**: 304. 1892.

***Ederranus subangulatus*, n. n.**

pro *Cicada lutea* Sahlberg, Acta Soc. Sci. Fennicae **1**: 88. 1842.

nec *Cicada lutea* Olivier, Encyclopédie méthodique . . . **5**: 758. 1790.

***Gillettella labiata* var. *gillettei*, n. n.**

pro *Deltocephalus labiatus* var. *rufus* Gillette, Bull. Colorado Agr. Exp. Stat. **43**: 28. 1898.

nec *Deltocephalus abdominalis* var. *rufus* Sahlberg, Not. Fennica (n. s.) **9** (12): 329, 1871.

***Jassargus (Jassargus) distinguendus* var. *gallicus*, n. n.**

pro *Deltocephalus distinguendus* var. *longiceps* Rey, Échange **10**: 46. 1894.

nec *Jassus (Deltocephalus) longiceps* Kirschbaum, Jahrb. Ver. Nat. Nassau **21-22**: 135. 1868.

***Jassargus (Jassargus) distinguendus* var. *reyi*, n. n.**

pro *Deltocephalus distinguendus* var. *confinis* Rey, Échange **10**: 46. 1894.

nec *Deltocephalus confinis* Dahlbom, (1850) Handl. Svenska Vet.-Akad. 1850: 193.

***Unoka gillettei*, n. n.**

pro *Athysanus ornatus* Gillette, Bull. Colorado Agr. Exp. Stat. **43**: 29. 1898.

nec *Athysanus ornatus* Perris, Ann. Soc. Linn. Lyon **4**: 174 (94). 1857.

## Tribe XESTOCEPHALINI

***Xestocephalus izzardii*, n. n.**

pro *Xestocephalus minutus* Izzard, Ann. Mag. Nat. Hist. (10) **17**: 598. 1936.

nec *Xestocephalus minutus* Distant, The fauna of British India **7**: 58. 1918.

= *Ootacamundus minutus* Distant.

## Tribe CICADULINI

***Cicadula capensis*, n. n.**

pro *Cicadula nigrifrons* Naudé, Ent. Me. Dept. Agr. Union of South Africa **4**: 86. 1926.

nec *Cicadula nigrifrons* Forbes, Report of the State entomologist of Illinois **14**: 67. 1885.

## Tribe BALCLUTHINI

***Balclutha haupti*, n. n.**

pro *Balclutha flava* Haupt, Bull. Palestine Agr. Exp. Stat. **8**: 37. 1927.

nec *Gnathodus impictus* var. *flavus* Baker, Can. Ent. **28**: 36, 38. 1896.

## Family COELIDIIDAE

## Subfamily TARTESSINAE

***Tartessus evansi*, n. n.**

pro *Tartessus obscurus* Evans, Pap. Proc. Roy. Soc. Tasmania **1936**: 54. 1936.

nec *Tartessus obscurus* Schmidt, Stett. Ent. Zeit. **81**: 54. 1920.

## Family AGALLIDAE

## Subfamily AGALLINAE

***Agallia lindbergi*, n. n.**

pro *Agallia insularis* Lindberg, Comm. Biol. **14** (1): 196. 1954.

nec *Agallia insularis* Berg, An. Soc. Cient. Argentina **17**: 39. 1884.

## Family IASSIDAE

## Subfamily IASSINAE

## Tribe IASSINI

***Batrachomorphus fabricii*, n. n.**

pro *Cicada prasina* Fabricius, Entomologia systematica **4**: 38, 1794.

nec *Cicada prasina* Pallas, Reise durch russischen Reichs **1**: 729. 1773.

***Stragania matsumuri*, n. n.**

pro *Macropsis dorsalis* Matsumura, Journ. Coll. Agr. Sapporo **4** (7): 301. 1912.

nec *Macropsis dorsalis* Provancher, Petite faune entomologique du Canada **3**: 292. 1889.

## Tribe KRISNINI

***Krisna walkeri*, n. n.**

pro *Bythoscopus testaceus* Walker, Journ. Proc. Linn. Soc. **1**: 173. 1857.

nec *Bythoscopus testaceus* Walker, List of homopterous insects in the British Museum **4**: 1163. 1852.

## Family IDIOCERIDAE

***Idiocerus bakeri*, n. n.**

pro *Idiocerus trifasciatus* Osborn, Ann. Carnegie Mus. **15**: 19. 1923.

nec *Bythoscopus trifasciatus* Kirschbaum, Jahrb. Ver. Nat. Nassau **21-22**: 167. 1868.  
nunc *Idiocerus trifasciatus* Kirschbaum.

## Family TYPHLOCYBIDAE

## Subfamily TYPHLOCYBINAE

## Tribe EMPOASCINI

*Empoasca canariensis*, n. n.

pro *Empoasca unicolor* Lindberg, Comm. Biol. **6** (9): 8. 1936.  
nec *Empoasca unicolor* Gillette, Proc. U. S. Nat. Mus. **20**: 731. 1898.

*Empoasca martorelli*, n. n.

pro *Empoasca incisa* Caldwell and Martorell, Journ. Agr. Univ. Puerto Rico **34**: 125. 1952.  
nec *Empoasca incisa* Gillette, Proc. U. S. Nat. Mus. **20**: 735. 1898.

## Tribe ERYTHRONEURINI

*Erythroneura canariensis*, n. n.

pro *Erythroneura affinis* Lindberg, Comm. Biol. **14** (1): 248. 1954.  
nec *Erythroneura affinis* Fitch, Ann. Rept. State Cab. Nat. Hist. **4**: 63. 1851.

## Family CICADIDAE

## Subfamily TIBICENINAE

## Tribe PLATYPLEURINI

*Platyleura (Platyleura) schumacheri*, n. n.

pro *Platyleura fenestrata* Schumacher, Zoologische und anthropologische Ergebnisse einer Forschungsreise **5**: 86. 1913.  
nec *Platyleura fenestrata* Uhler, Proc. Acad. Nat. Sci. Philadelphia **13**: 282. 1861.

## Tribe CYCLOCHILINI

*Psaltoda plaga*, Walker

*Psaltoda plaga* Walker, List of homopterous insects in the British Museum **1**: 109. 1850.

Will replace:

*Cicada argentata* Germar, Rev. Ent. Silbermann **2**: 66. 1834.  
nec *Cicada argentata* Olivier, Encyclopédie Méthodique . . . **5**: 759. 1790.

## Tribe TIBICENINI

*Tibicen walkeri*, n. n.

pro *Cicada marginalis* Walker, List of homopterous insects in the British Museum **4**: 1128. 1852.  
nec *Cicada marginalis* Scopoli, Entomologie Carniiloca **1763**: 113. 1763.

## Tribe FIDICININI

*Fidicina africana*, n. n.

pro *Cidcaea plebeja* Linnaeus, Systema naturae. (ed. 12) **1** (2): 707. 1767.

nec *Cicada plebeja* Scopoli, Entomologie Carniiloca: 117. 1763.

## Tribe DUNDUBINI

*Terpnosia obscurana*, n. n.

pro *Terpnosia obscura* Liu, Bull. Mus. Comp. Zool. **87**: 98. 1940.  
nec *Terpnosia obscura* Kato, Bull. Cicadidae Mus. **2**: 3, 17. 1938.

## Tribe PLATYLOMIINI

*Platylomia kingvosana* var. *viridescens*, n. n.

pro *Platylomia kingvosana* var. *virescens* Liu, Bull. Mus. Comp. Zool. **87**: 92. 1940.  
nec *Platylomia virescens* Distant, Ann. Mag. Nat. Hist. (7) **15**: 66. 1905.

## Subfamily CICADINAE

## Tribe CICADINI

*Cicada signoreti*, n. n.

pro *Cicada punctipes* Signoret, Ann. Soc. Ent. France (3) **8**: 180. 1860.  
nec *Cicada punctipes* Zetterstedt, Fauna insectorum Lapponica **1**: 525. 1828.

## Family TIBICINIDAE

## Subfamily TIBICININAE

## Tribe TETTIGOMYINI

*Xosopsaltria thunbergi*, n. n.

pro *Tettigonia punctata* Thunberg, Dissertatio entomologica de hemipteris rostratis capensibus **1**: 7. 1822.  
nec *Tettigonia punctata* Fabricius, Supplementum entomologiae systematicae **1798**: 516. 1798.

## Family MEMBRACIDAE

## Subfamily CENTROTINAE

## Tribe LEPTOCENTRINI

*Leptocentrus formosus*, n. n.

pro *Leptocentrus formosanus* Kato, Trans. Nat. Hist. Soc. Formosa **18**: 32. 1928.  
nec *Leptocentrus formosanus* Matsumura, Annot. Zool. Japonenses **8**: 15. 1912.

## Tribe GARGARINI

*Umfilianus gerstaeckeri*, n. n.

pro *Centrotus fenestratus* Gerstaecker, Claus's Decken's Reisen in Ost-Afrika **3** (2): 429. 1873.  
nec *Centrotus fenestratus* Thunberg, Dissertatio entomologica de hemipteris rostratis capensibus **1**: 3. 1822.

## Tribe CENTROTINI

*Centrotus cornutus* var. *kirschbaumi*, n. n.

pro *Centrotus abbreviatus* Kirschbaum, Jahrb. Ver. Nat. Nassau **21-22**: 67. 1868.  
nec *Centrotus abbreviatus* Fabricius, Systema rhyngotorum **1803**: 23. 1803.